### **VENTRIX- MODEL: OS2CT**

# WAC LIGHTING

Responsible Lighting®

### **Recessed Trim Channel**

| 项目名称: |               | 灯位号:                                |
|-------|---------------|-------------------------------------|
| 产品图片  | 线图            |                                     |
|       | OS2CT04-FE-BK | 1219.2<br>2438.4<br>3657.6          |
| 产品描述  | OS2CT01-BK    | 304.8<br>1219.2<br>2438.4<br>3657.6 |

VENTRIX 轨道适配于 WAC VENTRIX低压轨道系统灯具,多种安装方式,适配多种天花安装。DC48V 输入,最大总负载电流可达 12.5A。可以任意形状拼接,满足不同的照明应用环境需求,广泛应用于办公,商业等照明空间场所

#### 产品特性

• 主体材质: 铝合金灯体

• 表面处理: 静电粉末喷涂/阳极氧化

安规认证: /

• 防护等级: IP20

• 绝缘等级: Class I

#### 产品规格

• 长度: 0.31M/1.22M/2.44M/3.66M

• 输入电压: DC48V

• **调光控制**: ON-OFF/0-10V/ELV/DMX512/无线及手机 APP 控

制

• **产品重量**: 约

0.8Kg(0.31M),2.24Kg(1.22M),4.56Kg(2.44M),

6.8Kg(3.66M),不含包装

#### 订购模型

| Model                                  | Length  |   | Finish               |
|--|---|---|----------------------|
| OS2CT04-FE<br>OS2CT08-FE<br>OS2CT12-FE | <ul><li>04 1.22M Trim Recessed Feed End</li><li>08 2.44M Trim Recessed Feed End</li><li>12 3.66M Trim Recessed Feed End</li></ul> | Required Power Feed Run Connected<br>Power Unit Required See CPU (sold<br>separately) | BK Black<br>WT White |

示例: OS2CT04-FE-BK

| Model                                    | Length  |                                       | Finish               |
|--|---|---------------------------------------|----------------------|
| OS2CT01<br>OS2CT04<br>OS2CT08<br>OS2CT12 | <ul><li>01 0.31M Trim Recessed Channel</li><li>04 1.22M Trim Recessed Channel</li><li>08 2.44M Trim Recessed Channel</li><li>12 3.66M Trim Recessed Channel</li></ul> | To extend channel runs after feed end | BK Black<br>WT White |

示例: OS2CT01-BK

WAC Lighting
www.waclighting.com (US)
www.waclighting.com.cn (China)

Headquarters

44 Harbor Park Drive • Port Washington, NY Phone (516) 515.5000 • Fax (516) 515.5050

WAC Lighting(Shanghai)

14,Lane 299, Bi Sheng Road,Shanghai 201204 Phone (86.21) 3393.3558 • Fax (86.21) 3362.1598

WAC Lighting 保留对产品进行不定期设计更新的权利。2022-05-19

# **VENTRIX - MODEL: OS2CT**

WAC LIGHTING

Responsible Lighting®

| Recessed | Trim | Channel |  |
|----------|------|---------|--|

| 项目名称:                                  | 灯位号: |   |
|--|------|---|
| ×===================================== | WH2. | L |

| 窄边嵌装连接器配件                    |   |     |
|------------------------------|---|-----|
| Model                        | Description   | Pic |
| OS2CT-FEB-BK<br>OS2CT-FEB-WT | Feed End Junction Box  5in junction box with side knockouts                 |     |
| OS2CSR-I-BK                  | I Connector  Joins two channel sections with electrical continuity          |     |
| OS2C-ID-BK                   | Dead I Connector  Joins two channel sections  without electrical continuity |     |
| OS2CT-L-BK<br>OS2CT-L-WT     | L Connector Joins two channel sections 90°                                  |     |
| OS2CT-T-BK<br>OS2CT-T-WT     | T Connector Joins three channel sections                                    |     |
| OS2CT-X-BK<br>OS2CT-X-WT     | X Connector  Joins four channel sections                                    |     |
| OS2CT-IC-BK<br>OS2CT-IC-WT   | Inside Corner  Joins ceiling to wall channel sections                       |     |

# **VENTRIX - MODEL: OS2CT**

WAC LIGHTING

Responsible Lighting®

| n        | <b>T</b> | CI      | ı |
|----------|----------|---------|---|
| Recessed | ırım     | ( nanne | 1 |

| 项目名称:                                  | 灯位号: |   |
|--|------|---|
| ×===================================== | WH2. | L |

| OS2CT-OC-BK<br>OS2CT-OC-WT                                      | Outside Corner  Joins wall to wall channel sections   |  |
|---|---|--|
| OS2CPST-IC-BKBK OS2CPST-IC-BKWT OS2CPST-IC-WTWT OS2CPST-IC-WTBK | Surface/Suspended to Recessed Corner Joins suspended or surface mounted channel to recessed channel |  |
| OS2CT-EC-BK<br>OS2CT-EC-WT                                      | End Cap Additional end cap  |  |

#### 窄边嵌装配件

| Model         | Description   | Pic |
|---------------|---|-----|
| OS2CR-CLIP-BK | Mount Clip Support recessed channel with 1/4 - 20 threaded rod (rod by others)                                |     |
| OS2C-C96-BK   | Cable Suspension Support recessed channel from plenum ceiling. Includes 96in aircraft cable; may be field cut |     |
| OS2C-S96-BK   | Stem Suspension Support recessed channel from plenum ceiling. Includes two 48in stem; may be field cut        |     |

# **VENTRIX - MODEL: OS2CT**

WAC LIGHTING

Responsible Lighting®

| Recessed   | Trim   | Channa |
|------------|--------|--------|
| VE( E//E() | 111111 | CHAINE |

|                |      | 1 |
|----------------|------|---|
|                |      | i |
| 项目名称:          | 好伤中. | i |
| <b>火日白你・</b> [ | りから  | i |
|                |      |   |

| OS2C-LOOP-BK                   | Suspension Loop  Mechanical loop Supports up to 15 lb  |  |
|--------------------------------|--|--|
| OS2SN-1-BK                     | VACANCY/PHOTO SENSOR   |  |
| OS2C-COV08-BK<br>OS2C-COV08-WT | Channel Cover 2.4M  2.4M length may be field cut, Suitable for top or bottom channel coverage. |  |